

BEECHCRAFT MUSKETEER

19 thru B19

s/n MB-1 thru MB-520

23 thru C23

s/n M-2 thru M-1361

24 thru A24

s/n MA-1 thru MA-368

A24R

s/n MC-2 thru MC-95

B19

s/n MB-521 and up

SPORT 150

C23

s/n M-1362 and up

SUNDOWNER 180

A24R thru C24R

s/n MC-96 and up

SIERRA 200

259	Windshield	s/n M-2 thru M-1284 s/n MA-1 thru MA-363 s/n MB-1 thru MB-480	.150	169-420005-89
273	Windshield	s/n M-1285 and up s/n MA-364 thru MA-368 s/n MB-481 and up s/n MC-2 and up	.150	169-420035-37
248	Left front pilot window	s/n M-2 thru M-234	.125	169-420005-57
264	Left front pilot window	s/n M-235 thru M-554 (Optional on s/n M-2 thru M-234)	.150	169-420005-125
265	Left front pilot window	s/n M-555 thru M-659	.187	169-420005-165
114	Left front pilot window - without pilot entry door	s/n M-660 thru M-1284 s/n MA-1 thru MA-363 s/n MB-1 thru MB-480	.187	169-420005-197
131	Left front pilot entry door window	s/n M-1005 thru M-1284 s/n MA-153 thru MA-363 s/n MB-167 thru MB-480	.187	169-420023-15
107	Left front pilot window - with or without pilot entry door	s/n M-1285 thru M-1490 s/n MA-364 thru MA-368 s/n MB-481 thru MB-621 s/n MC-2 thru MC-190	.150	169-420036-103
108	Left front pilot window - with or without pilot entry door	s/n M-1491 thru M-2233, except M-2224 s/n MB-622 and up s/n MC-191 thru MC-701, except MC-689	.150	169-420036-119
173	Left front pilot window	s/n M-2224, M2234 and up s/n MC-689, MC-702 and up	.150	105-420015-15
272	Vent (storm) window	s/n M-2 thru M-234	.187	169-420005-99
278	Vent (storm) window	s/n M-235 thru M-1284 s/n MA-1 thru MA-363 s/n MB-1 thru MB-480	.375	169-420005-127
267	Vent (storm) window	s/n M-1285 and up s/n MA-364 thru MA-368 s/n MB-481 and up s/n MC-2 and up	.312	169-420037-17
180	Right front cabin door window	s/n M-2 thru M-1284 s/n MA-1 thru MA-363 s/n MB-1 thru MB-480	.187	169-420010-71
	(continued)			

NEW	LP#	DESCRIPTION	THICKNESS	OEM PART NO.
-----	-----	-------------	-----------	--------------

**BEECHCRAFT MUSKETEER 19 thru B19, 23 thru C23, 24 thru A24, A24R
SPORT 150 B19, SUNDOWNER 180 C23, SIERRA 200 A24R thru C24R (Continued)**

266	Right rear cabin door window	s/n M-1285 thru M-1490 s/n MA-364 thru MA-368 s/n MB-481 thru MB-621 s/n MC-2 thru MC-190	.150	169-420036-8
109	Right front cabin door window	s/n M-1491 thru M-2233, except M-2224 s/n MB-622 and up s/n MC-191 thru MC-701, except MC-689	.150	169-420036-120
174	Right front cabin door window	s/n M-2224, M-2234 and up s/n MC-689, MC-702 and up	.150	105-420015-16
175	#2 rear window - left or right	s/n M-2 thru M-554	.150	169-420005-61
176	#2 window - left*	* s/n M-555 thru M-1284 s/n MA-1 thru MA-363 s/n MB-1 thru MB-480	.187	169-420005-167
177	#2 window - right*		.187	169-420005-168
119	#2 window - left**	** s/n M-1285 thru M-1490 s/n MA-364 thru MA-368 s/n MB-481 thru MB-621 s/n MC-2 thru MC-190	.150	169-420000-27
121	#2 window - right**		.150	169-420000-28
120	#2 window - left***	*** s/n M-1491 and up s/n MB-622 and up s/n MC-191 and up	.150	169-420000-117
132	#2 window - right***		.150	169-420000-118
178	#3 rear window - left*	* s/n M-555 thru M-1284 s/n MA-1 thru MA-363	.150	169-420005-177
179	#3 rear window - right*		.150	169-420005-178
123	#3 window - left**	** s/n M-1285 thru M-1490 s/n MA-364 thru MA-368 s/n MC-2 thru MC-190	.150	169-420000-29
125	#3 window - right**		.150	169-420000-30
124	#3 window - left***	*** s/n M-1491 and up s/n MC-191 and up	.150	169-420000-127
126	#3 window - right***		.150	169-420000-128
112	#3 baggage door window - left	s/n MC-151 thru MC-190	.150	169-430015-9
113	#3 baggage door window - left	s/n MC-191 and up, except MC-533	.150	169-430015-29
127	#4 rear window - left*	* s/n M-1285 thru M-1979, except M-1971 s/n MA-364 thru MA-368 s/n MC-2 thru MC-190	.150	169-440005-133
129	#4 rear window - right*		.150	169-440005-134
128	#4 rear window - left	s/n MC-191 and up	.150	169-440005-185
130	#4 rear window - right	s/n MC-191 and up	.150	169-440005-186
274	Landing light lens	s/n M-2 thru M-1979, except M-1971 s/n MA-1 thru MA-368 s/n MB-1 thru MB-865 s/n MC-2 thru MC-536	.080	169-110000-237
274	Taxi light lens	s/n M-1971, M-1980 and up s/n MB-866 and up s/n MC-537 and up	.080	169-364017-11

BEECHCRAFT BONANZA & DEBONAIR 33 thru G33

35-C33A thru F33A

E33C thru F33C

35 thru V35B-TC

s/n CD-1 thru CD-1304

s/n CE-1 and up

s/n CJ-1 and up

s/n D-1 and up

250	Windshield - left	These windshields install using the original windshield frames. s/n CD-1 thru CD-1006 s/n D-1 thru D-7976 (continued)	.187	35-410291-34
251	Windshield - right		.187	35-410291-35
280	Windshield - left		.250	35-410291-164
281	Windshield - right		.250	35-410291-165

NEW	LP#	DESCRIPTION	THICKNESS	OEM PART NO.
-----	-----	-------------	-----------	--------------

**BEECHCRAFT BONANZA & DEBONAIR 33 thru G33,
35-C33A thru F33A
E33C thru F33C
35 thru V35B-TC (Continued)**

	271.250 271.312 271.375	Windshield - STC One Piece Conversion Windshield - STC One Piece Conversion Windshield - STC One Piece Conversion These windshields install using the original two piece windshield frames. s/n CD-1 thru CD-1006 s/n D-1 thru D-7976	.250 .312 .375	
	270 270.312 270.375 270.500	Windshield - Original thickness Windshield - STC Windshield - STC Windshield - STC These windshields install using the original windshield frames. s/n CD-1007 thru CD-1118 s/n CE-1 thru CE-179 s/n D-7977 thru D-8598	.250 .312 .375 .500	35-410474-59
	998	Windshield - One Piece replacement when frame has been previously eliminated via STC SA358WE The center face of the windshield measures 31 1/4" top to bottom. s/n CD-1 thru CD-1118 s/n CE-1 thru CE-179 s/n D-1 thru D-8598	.250	
NEW	977	Windshield - STC - Sloped frameless windshield eliminates the original frame.	.250	
NEW	977.312	Windshield - STC - Extra thick, sloped frameless windshield eliminates the original frame.	.312	
NEW	977.375	Windshield - STC - Extra thick, sloped frameless windshield eliminates the original frame.	.375	
NEW	977.500	Windshield - STC - Extra thick, sloped frameless windshield eliminates the original frame. The center face of the windshield measures 37" top to bottom s/n CD-1 thru CD-1118 s/n CE-1 thru CE-179 s/n D-1 thru D-8598	.500	
NEW	D0002-001	The following parts are required for new installations of the 977 series windshield: Front windshield aluminum retainer		
NEW	D0004-001	Defroster duct outlet adapter - may need 1 or 2 - check your aircraft installation		
NEW	D0003-001	Defroster diffuser		
NEW	D0005-001	Glareshield		
NEW	SP-IK977	Installation kit for 977 - Hardware, sealant and instructions - see page 4		
	269 269.312 269.375 269.500	Windshield - Original thickness Windshield - STC - Inside surface edge milled to .250" thickness Windshield - STC - Inside surface edge milled to .250" thickness Windshield - STC - Inside surface edge milled to .250" thickness These windshields install using the original windshield frames. s/n CD-1119 thru CD-1304 s/n CE-180 and up s/n CJ-1 and up s/n D-8599 and up	.250 .312 .375 .500	96-420029-3
NEW	981 981.312 981.375 981.500	Windshield - STC - screws through edge of acrylic Windshield - STC - screws through edge of acrylic Windshield - STC - screws through edge of acrylic Windshield - STC - screws through edge of acrylic These are frameless windshields that eliminate the original metal frame around the windows and require drilling through the acrylic to mount. s/n CD-1119 thru CD-1304 s/n CE-180 and up s/n CJ-1 and up s/n D-8599 and up	.250 .312 .375 .500	
	SP-IK981	Installation kit for 981 - Hardware, sealant and instructions - see page 4		
	252 252.250 258 258.250	Left front pilot window Left front pilot window - STC Vent window - use with 252 Vent window - use with 252.250 - STC These windows install using the original window frames. s/n CD-1 thru CD-1234 s/n CE-1 thru CE-289 s/n CJ-1 thru CJ-25 s/n D-1 thru D-9068	.125 .250 .125 .250	35-410291-628 96-420011-3 35-410291-626 96-420011-7
		(continued)		

NEW	LP#	DESCRIPTION	THICKNESS	OEM PART NO.
-----	-----	-------------	-----------	--------------

**BEECHCRAFT BONANZA & DEBONAIR 33 thru G33, 35-C33A thru F33A
E33C thru F33C, 35 thru V35B-TC (Continued)**

211 211.375 211WV 211.375WV 188 188.500	Left front pilot window Left front pilot window - STC Left front pilot window assembly with vent window installed - STC Left front pilot window assembly with vent window installed - STC Vent (storm) window - use with 211 Vent (storm) window - use with 211.375 - STC These windows install using the original window frames. s/n CD-1235 thru CD-1304 s/n CE-290 and up s/n CJ-26 and up s/n D-9069 and up	.250 .375 .250 .375 .375 .500	002-430052-11 002-430052-1 002-430052-13
978 978.375 978WV 978.375WV 187 187.500 SP-IK978	Left front side window with frameless vent cutout - STC Left front side window with frameless vent cutout - STC Left front side window assembly with vent window installed - STC Left front side window assembly with vent window installed - STC Vent (storm) window - left - use with 978 - STC Vent (storm) window - left - use with 978.375 - STC These are frameless windows that eliminate the original metal frame around the windows and require drilling through the acrylic to mount. s/n CD-1 thru CD-1304 s/n CE-1 and up s/n CJ-1 and up s/n D-1 and up Installation kit for 978, 979, 980, 991, and 997 - Hardware, sealant and instructions - see page 4	.250 .375 .250 .375 .375 .500	
SP-BHL	Hinge and latch assembly - see page 4		
253 253.250 253.375 230.250 230.375 230.250WV 230.375WV 210 210.500	Right front door window Right front door window - STC Right front door window - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent cutout - STC Right front door window assembly with vent window installed - STC Right front door window assembly with vent window installed - STC Vent (storm) window - right - use with 230.250 - STC Vent (storm) window - right - use with 230.375 - STC These windows install using the original window frames. s/n CD-1 thru CD-1304 s/n CE-1 thru CE-632 s/n CJ-1 and up s/n D-1 thru D-9855, except D-9819	.125 .250 .375 .250 .375 .250 .375 .375 .500	35-400320-10 95-420012-17
980 980.375 979 979.375 979WV 979.375WV 189 189.500 SP-IK978	Right front door window - STC Right front door window - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent cutout - STC Right front door window assembly with vent window installed - STC Right front door window assembly with vent window installed - STC Vent (storm) window - right - use with 979 - STC Vent (storm) window - right - use with 979.375 - STC These are frameless windows that eliminate the original metal frame around the windows and require drilling through the acrylic to mount. s/n CD-1 thru CD-1304 s/n CE-1 thru CE-632 s/n CJ-1 and up s/n D-1 thru D-9855, except D-9819 Installation kit for 978, 979, 980, 991, and 997 - Hardware, sealant and instructions - see page 4	.250 .375 .250 .375 .250 .375 .375 .500	
294 294.250 294.375 287 287.375 287WV 287.375WV 210 210.500	Right front door window Right front door window - STC Right front door window - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent window installed - STC Right front door window with frameless vent window installed - STC Vent (storm) window - right - use with 287.250 - STC Vent (storm) window - right - use with 287.375 - STC These windows install using the original window frames. s/n CE-633 and up s/n D-9819, D-9856 and up (continued)	.125 .250 .375 .250 .375 .250 .375 .375 .500	36-430044-5 36-430044-3

NEW	LP#	DESCRIPTION	THICKNESS	OEM PART NO.
-----	-----	-------------	-----------	--------------

**BEECHCRAFT BONANZA & DEBONAIR 33 thru G33
35-C33A thru F33A
E33C thru F33C
35 thru V35B-TC (Continued)**

991	Right front door window - STC	.250	
991.375	Right front door window - STC	.375	
997	Right front door window with frameless vent cutout - STC	.250	
997.375	Right front door window with frameless vent cutout - STC	.375	
997WV	Right front door window assembly with vent window installed - STC	.250	
997.375WV	Right front door window assembly with vent window installed - STC	.375	
189	Vent (storm) window - right - use with 997 - STC	.375	
189.500	Vent (storm) window - right - use with 997.375 - STC	.500	
	These are frameless windows that eliminate the original metal frame around the windows and require drilling through the acrylic to mount.		
	s/n CE-633 and up		
	s/n D-9819, D-9856 and up		
SP-IK978	Installation kit for 978, 979, 980, 991, and 997 - Hardware, sealant and instructions - see page 4		
140	Center window - left - nonopenable	.125	33-410010-1
140.250	Center window - left - nonopenable - STC	.250	
141	Center window - right - nonopenable	.125	33-410010-2
141.250	Center window - right - nonopenable - STC	.250	
	s/n CD-1 thru CD-1304		
	s/n CE-1 thru CE-315		
	s/n CJ-1 thru CJ-51		
	s/n D-9069 thru D-9286		
254	Center or rear window - left - openable	.125	002-430053-9
254.250	Center or rear window - left - openable - STC	.250	002-430053-11
255	Center or rear window - right - openable	.125	002-430053-10
255.250	Center or rear window - right - openable - STC	.250	002-430053-12
	s/n CD-1119 thru 1304		
	s/n CE-180 and up		
	s/n CJ-26 and up		
	s/n D-1 and up		
256	Rear baggage window - left	.125	35-001029-19
257	Rear baggage window - right	.125	35-001029-20
	s/n CD-1 thru CD-813		
	s/n D-3999 thru D-6561		
284	Rear window - left	.125	002-430000-117
284.250	Rear window - left - STC	.250	002-430000-129
285	Rear window - right	.125	002-430000-118
285.250	Rear window - right - STC	.250	002-430000-130
	s/n CD-814 thru CD-1304		
	s/n CE-1 and up		
	s/n CJ-1 and up		
	s/n D-6562 and up		
286	Landing light lens - left or right s/n D-1 thru D-4865	.080	35-115136-2, -3
298	Landing light lens - left	.080	50-110066-26
299	Landing light lens - right	.080	50-110066-27
	s/n D-4866 thru D-6841		

BEECHCRAFT BONANZA 35 thru V35B-TC s/n D-1 and up - SEE BEECHCRAFT 33 - page 22

BEECHCRAFT BONANZA **36 thru A36** s/n E-1 and up
A36TC thru B36TC s/n EA-1 and up
BARON **58 and 58A** s/n TH-1 and up
TC58 and 58TCA s/n TK-1 and up

269	Windshield - Original thickness	.250	96-420029-3
269.312	Windshield - STC - Inside surface edge milled to .250" thickness	.312	
269.375	Windshield - STC - Inside surface edge milled to .250" thickness	.375	
269.500	Windshield - STC - Inside surface edge milled to .250" thickness	.500	
	These windshields install using the original windshield frames.		
981	Windshield - STC - screws through edge of acrylic	.250	
981.312	Windshield - STC - screws through edge of acrylic	.312	
981.375	Windshield - STC - screws through edge of acrylic	.375	
981.500	Windshield - STC - screws through edge of acrylic	.500	
	These are frameless windshields that eliminate the original metal frame around the windows and require drilling through the acrylic to mount.		
SP-IK981	Installation kit for 981 - Hardware, sealant and instructions - see page 4 (continued)		

NEW	LP#	DESCRIPTION	THICKNESS	OEM PART NO.
-----	-----	-------------	-----------	--------------

**BEECHCRAFT BONANZA 36 thru A36, A36TC thru B36TC
BARON 58 and 58A, TC58 and 58TCA (Continued)**

252 252.250 258 258.250	Left front pilot window Left front pilot window - STC on 36 models, factory option on 58 models Vent window - use with 252 Vent window - use with 252.250 - STC on 36 models, factory option on 58 models These windows install using the original window frames. s/n E-1 thru E-184	.125 .250 .125 .250	35-410291-628 96-420011-3 35-410291-626 96-420011-7
211 211.375 211WV 211.375WV 188 188.500	Left front pilot window Left front pilot window - STC Left front pilot window assembly with vent window installed - STC Left front pilot window assembly with vent window installed - STC Vent (storm) window - use with 211 Vent (storm) window - use with 211.375 - STC These windows install using the original window frames. s/n E-185 and up s/n EA-1 and up s/n TH-1 and up s/n TK-1 and up	.250 .375 .250 .375 .375 .500	002-430052-11 002-430052-1 002-430052-13
978 978.375 978WV 978.375WV 187 187.500	Left front side window with frameless vent cutout - STC Left front side window with frameless vent cutout - STC Left front side window assembly with vent window installed - STC Left front side window assembly with vent window installed - STC Vent (storm) window - left - use with 978 - STC Vent (storm) window - left - use with 978.375 - STC These are frameless windows that eliminate the original metal frame around the windows and require drilling through the acrylic to mount. s/n E-1 and up s/n EA-1 and up s/n TH-1 and up s/n TK-1 and up	.250 .375 .250 .375 .375 .500	
SP-IK978	Installation kit for 978, 979, 980, 991, and 997 - Hardware, sealant and instructions - see page 4		
SP-BHL	Hinge and latch assembly - see page 4		
253 253.250 253.375 230.250 230.375 230.250WV 230.375WV 210 210.500	Right front door window Right front door window - STC on 36 models, factory option on 58 models Right front door window - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent cutout - STC Right front door window assembly with vent window installed - STC Right front door window assembly with vent window installed - STC Vent (storm) window - right - use with 230.250 - STC Vent (storm) window - right - use with 230.375 - STC These windows install using the original window frames. s/n E-1 thru E-830, except E-754 s/n TH-1 thru TH-732 s/n TK-1 thru TK-4	.125 .250 .375 .250 .375 .250 .375 .375 .500	35-400320-10 95-420012-17
980 980.375 979 979.375 979WV 979.375WV 189 189.500	Right front door window - STC Right front door window - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent cutout - STC Right front door window assembly with vent window installed - STC Right front door window assembly with vent window installed - STC Vent (storm) window - right - use with 979 - STC Vent (storm) window - right - use with 979.375 - STC These are frameless windows that eliminate the original metal frame around the windows and require drilling through the acrylic to mount.. s/n E-1 thru E-830, except E-754 s/n TH-1 thru TH-732 s/n TK-1 thru TK-4	.250 .375 .250 .375 .250 .375 .375 .500	
SP-IK978	Installation kit for 978, 979, 980, 991, and 997 - Hardware, sealant and instructions - see page 4		
294 294.250 294.375 287 287.375 287WV 287.375WV 210 210.500	Right front door window Right front door window - STC on 36 models, factory option on 58 models Right front door window - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent window installed - STC Right front door window with frameless vent window installed - STC Vent (storm) window - right - use with 287.250 - STC Vent (storm) window - right - use with 287.375 - STC These windows install using the original window frames. s/n E-754, E831 and up s/n EA-1 and up sn TH-733 and up s/n TK-5 and up	.125 .250 .375 .250 .375 .250 .375 .375 .500	36-430044-5 36-430044-3
(continued)			

NEW	LP#	DESCRIPTION	THICKNESS	OEM PART NO.
-----	-----	-------------	-----------	--------------

**BEECHCRAFT BONANZA 36 thru A36, A36TC thru B36TC
BARON 58 and 58A, TC58 and 58TCA (Continued)**

991	Right front door window - STC	.250	
991.375	Right front door window - STC	.375	
997	Right front door window with frameless vent cutout - STC	.250	
997.375	Right front door window with frameless vent cutout - STC	.375	
997WV	Right front door window assembly with vent window installed - STC	.250	
997.375WV	Right front door window assembly with vent window installed - STC	.375	
189	Vent (storm) window - right - use with 997 - STC	.375	
189.500	Vent (storm) window - right - use with 997.375 - STC	.500	
	These are frameless windows that eliminate the original metal frame around the windows and require drilling through the acrylic for mounting.		
	s/n E-754, E-831 and up		
	s/n EA-1 and up		
	s/n TH-733 and up		
	s/n TK-5 and up		
SP-IK978	Installation kit for 978, 979, 980, 991, and 997 - Hardware, sealant and instructions - see page 4		
254	Center or rear window - left - openable	.125	002-430053-9
254.250	Center or rear window - left - openable - STC on 36 models, factory option on 58 models	.250	002-430053-11
255	Center or rear window - right - openable	.125	002-430053-10
255.250	Center or rear window - right - openable - STC on 36 models, factory option on 58 models	.250	002-430053-12
024	Utility door window - right - forward	.125	36-430011-105
024.250	Utility door window - right - forward - STC on 36 models, factory option on 58 models	.250	36-430011-337
025	Cargo door window - right - aft	.125	36-430011-107
025.250	Cargo door window - right - aft - STC on 36 models, factory option on 58 models	.250	36-430011-339
028	#3 window - left	.125	002-430001-59
028.250	#3 window - left - STC on 36 models, factory option on 58 models	.250	002-430001-63
029	#4 window - left	.125	002-430001-57
029.250	#4 window - left - STC on 36 models, factory option on 58 models	.250	002-430001-61
149	Landing light lens - left	.080	000-170028-1
150	Landing light lens - right	.080	000-170028-2
	s/n TH-1 thru TH-972		
	s/n TK-1 thru TK-28		

BEECHCRAFT T-34A, T-34B, YT-34, 45, A45, B-45, D45

268	Windshield	.187	45-410301-1
569	Front sliding canopy	.187	45-410302-13
570	Middle canopy	.187	45-410303-1
571	Rear sliding canopy	.150	45-410304-13
572	Landing light lens - right	.080	45-115136-3
573	Landing light lens - left	.080	45-115136-2

BEECHCRAFT BARON

58 and 58A s/n TH-1 and up - SEE BEECHCRAFT 36 - page 25
TC58 and 58TCA s/n TK-1 and up - SEE BEECHCRAFT 36 - page 25

BEECHCRAFT TWIN BONANZA

B50 thru C50 s/n CH-12 thru CH-360
D50 thru D50E s/n DH-1 thru DH-347
E50 s/n EH-1 thru EH-70
F50 s/n FH-71 thru FH-96
G50 s/n GH-97 thru GH-119
H50 s/n HH-120 thru HH-149
J50 s/n JH-150 thru JH-176

249	Windshield - center	.187	50-400005-6
250	Windshield - left	.187	35-410291-34
251	Windshield - right	.187	35-410291-35
252	Left front pilot window	.125	35-410291-628
252.250	Left front pilot window - STC	.250	96-420011-3
258	Vent window - use with 252	.125	35-410291-626
258.250	Vent window - use with 252.250 - STC	.250	96-420011-7
	These windows install using the original window frames.		
978	Left front side window with frameless vent cutout - STC	.250	
978.375	Left front side window with frameless vent cutout - STC	.375	
978WV	Left front side window assembly with vent window installed - STC	.250	
978.375WV	Left front side window assembly with vent window installed - STC	.375	
	(continued)		

NEW	LP#	DESCRIPTION	THICKNESS	OEM PART NO.
-----	-----	-------------	-----------	--------------

BEECHCRAFT TWIN BONANZA B50 thru C50, D50 thru D50E, E50, F50, G50, H50, J50 (Continued)

187 187.500	Vent (storm) window - left - use with 978 - STC Vent (storm) window - left - use with 978.375 - STC These are frameless windows that eliminate the original metal frame around the windows and require drilling through the acrylic for mounting.	.375 .500	
SP-BHL	Hinge and latch assembly - see page 4		
SP-IK978	Installation kit for 978, 979, 980, 991, and 997 - Hardware, sealant and instructions - see page 4		
253 253.250 253.375 230.250 230.375 230.250WV 230.375WV 210 210.500	Right front door window Right front door window - STC Right front door window - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent cutout - STC Right front door window assembly with vent window installed - STC Right front door window assembly with vent window installed - STC Vent (storm) window - right - use with 230.250 - STC Vent (storm) window - right - use with 230.375 - STC These windows install using the original window frames.	.125 .250 .375 .250 .375 .250 .375 .375 .500	35-400320-10 95-420012-17
980 980.375 979 979.375 979WV 979.375WV 189 189.500	Right front door window - STC Right front door window - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent cutout - STC Right front door window assembly with vent window installed - STC Right front door window assembly with vent window installed - STC Vent (storm) window - right - use with 979 - STC Vent (storm) window - right - use with 979.375 - STC These are frameless windows that eliminate the original metal frame around the windows and require drilling through the acrylic for mounting.	.250 .375 .250 .375 .250 .375 .375 .500	
254 254.250 255 255.250	Center or rear window - left - openable Center or rear window - left - openable - STC Center or rear window - right - openable Center or rear window - right - openable - STC	.125 .250 .125 .250	002-430053-9 002-430053-11 002-430053-10 002-430053-12
142 143 144	Center rearward window - left - outer Rear window - left - outer Rear window - right - outer	.125 .125 .125	50-400459-9 50-400459-35 50-400459-10
	D50C thru D50E s/n DH-301 thru DH-347 J50 s/n JH-150 thru JH-176		
282 283	Rear window - left Rear window - right	.187 .187	50-400331-23 50-400331-24
	B50 thru C50 s/n CH-12 thru CH-360 D50 thru D50B s/n DH-1 thru DH-300 E50 s/n EH-1 thru EH-70 F50 s/n FH-71 thru FH-96 G50 s/n GH-97 thru GH-119 H50 s/n HH-120 thru HH-149		
298 299	Landing light lens - left Landing light lens - right	.080 .080	50-110066-26 50-110066-27

**BEECHCRAFT BARON 55 thru B55 s/n TC-1 and up
C55 thru E55 s/n TE-1 and up
56TC & A56TC s/n TG-2 thru TG-94
TRAVELAIR 95 thru E95 s/n TD-1 thru TD-721**

250 251 280 281	Windshield - left Windshield - right Windshield - left Windshield - right These windshields install using the original windshield frames.	.187 .187 .250 .250	35-410291-34 35-410291-35 35-410291-164 35-410291-165
	s/n TC-1 thru TC-954 s/n TD-1 thru TD-637		
271.250 271.312 271.375	Windshield - STC one piece conversion Windshield - STC one piece conversion Windshield - STC one piece conversion These windshields install using the original two piece windshield frames.	.250 .312 .375	
	s/n TC-1 thru TC-954 s/n TD-1 thru TD-637		
998	Windshield - one piece replacement when frame has been previously eliminated via STC SA844 WE The center face of the windshield measures 31 1/4" top to bottom. (continued)	.250	
	s/n TC-1 thru TC-954 s/n TD-1 thru TD-637		

NEW	LP#	DESCRIPTION	THICKNESS	OEM PART NO.
BEECHCRAFT BARON 55 thru B55, C55 thru E55, 56TC & A56TC TRAVELAIR 95 thru E95 (Continued)				
	270 270.312 270.375 270.500	Windshield - original thickness Windshield - STC Windshield - STC Windshield - STC These windshields install using the original windshield frames. s/n TC-955 thru TC-1042 s/n TE-1 thru TE-451 s/n TG-2 thru TG-83 s/n TD-638 thru TD-707	.250 .312 .375 .500	35-410474-59
NEW NEW NEW NEW	977 977.312 977.375 977.500	Windshield - STC - Sloped frameless windshield eliminates the original frame. Windshield - STC - Extra thick, sloped frameless windshield eliminates the original frame. Windshield - STC - Extra thick, sloped frameless windshield eliminates the original frame. Windshield - STC - Extra thick, sloped frameless windshield eliminates the original frame. s/n TC-1 thru TC-1041 except TC-350 s/n TD-2 thru TD-707 s/n TC-350, TE-1 thru TE-451, except TE-50 s/n TG-2 thru TG-83 The following parts are required for new installations of the 977 series windshield:	.250 .312 .375 .500	
NEW NEW NEW NEW NEW	D0002-001 D0004-001 D0003-001 D0005-001 SP-IK977	Front windshield aluminum retainer Defroster duct outlet adapter - may need 1 or 2 - check your aircraft installation Defroster diffuser Glareshield Installation kit - Hardware, sealant and instructions - see page 4		
	269 269.312 269.375 269.500	Windshield - original thickness Windshield - STC - Inside surface edge milled to .250" thickness Windshield - STC - Inside surface edge milled to .250" thickness Windshield - STC - Inside surface edge milled to .250" thickness These windshields install using the original windshield frames. s/n TC-1043 and up s/n TE-452 and up s/n TG-84 thru TG-94 s/n TD-708 thru TD-721	.250 .312 .375 .500	96-420029-3
NEW	981 981.312 981.375 981.500 SP-IK981	Windshield - STC - screws through edge of acrylic Windshield - STC - screws through edge of acrylic Windshield - STC - screws through edge of acrylic Windshield - STC - screws through edge of acrylic These are frameless windshields that eliminate the original metal frame around the windows and require drilling through the acrylic for mounting. s/n TC-1043 and up s/n TE-452 and up s/n TG-84 thru TG-94 s/n TD-708 thru TD-721 Installation kit for 981 - Hardware, sealant and instructions - see page 4	.250 .312 .375 .500	
	252 252.250 258 258.250	Left front pilot window Left front pilot window - STC Vent window - use with 252 Vent window - use with 252.250 - STC These windows install using the original window frames. s/n TC-1 thru TC-1298, except TC-1259 s/n TE-1 thru TE-767, except TE-733 s/n TG-2 thru TG-83 s/n TD-1 thru TD-721	.125 .250 .125 .250	35-410291-628 96-420011-3 35-410291-626 96-420011-7
	211 211.375 211WV 211.375WV 188 188.500	Left front pilot window Left front pilot window - STC Left front pilot window assembly with vent window installed - STC Left front pilot window assembly with vent window installed - STC Vent (storm) window - use with 211 Vent (storm) window - use with 211.375 - STC These windows install using the original window frames. s/n TC-1259, TC-1299 and up s/n TE-733, TE-768 and up s/n TG-84 thru TG-94	.250 .375 .250 .375 .375 .500	002-430052-11 002-430052-1 002-430052-13
	978 978.375 978WV 978.375WV	Left front side window with frameless vent cutout - STC Left front side window with frameless vent cutout - STC Left front side window assembly with vent window installed - STC Left front side window assembly with vent window installed - STC (continued)	.250 .375 .250 .375	

NEW	LP#	DESCRIPTION	THICKNESS	OEM PART NO.
-----	-----	-------------	-----------	--------------

BEECHCRAFT BARON 55 thru B55, C55 thru E55, 56TC & A56TC
TRAVELAIR 95 thru E95 (Continued)

187 187.500	Vent (storm) window - left - use with 978 - STC Vent (storm) window - left - use with 978.375 - STC These are frameless windows that eliminate the original metal frame around the windows and require drilling through the acrylic for mounting.	.375 .500	
SP-BHL	Hinge and latch assembly - see page 4		
253 253.250 253.375 230.250 230.375 230.250WV 230.375WV 210 210.500	Right front door window Right front door window - STC Right front door window - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent cutout - STC Right front door window assembly with vent window installed - STC Right front door window assembly with vent window installed - STC Vent (storm) window - right - use with 230.250 - STC Vent (storm) window - right - use with 230.375 - STC These windows install using the original window frames. s/n TC-1 thru TC-1935 s/n TE-1 thru TE-1069 s/n TG-2 thru TG-94 s/n TD-1 thru TD-721	.125 .250 .375 .250 .375 .250 .375 .375 .500	35-400320-10 95-420012-17
980 980.375 979 979.375 979WV 979.375WV 189 189.500	Right front door window - STC Right front door window - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent cutout - STC Right front door window assembly with vent window installed - STC Right front door window assembly with vent window installed - STC Vent (storm) window - right - use with 979 - STC Vent (storm) window - right - use with 979.375 - STC These are frameless windows that eliminate the original metal frame around the windows and require drilling through the acrylic for mounting. s/n TC-1 thru TC-1935 s/n TE-1 thru TE-1069 s/n TG-2 thru TG-94 s/n TD-1 thru TD-721	.250 .375 .250 .375 .250 .375 .375 .500	
294 294.250 294.375 287 287.375 287WV 287.375WV 210 210.500	Right front door window Right front door window - STC Right front door window - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent window installed - STC Right front door window with frameless vent window installed - STC Vent (storm) window - right - use with 287.250 - STC Vent (storm) window - right - use with 287.375 - STC These windows install using the original window frames. s/n TC-1936 and up s/n TE-1070 and up	.125 .250 .375 .250 .375 .250 .375 .375 .500	36-430044-5 36-430044-3
991 991.375 997 997.375 997WV 997.375WV 189 189.500	Right front door window - STC Right front door window - STC Right front door window with frameless vent cutout - STC Right front door window with frameless vent cutout - STC Right front door window assembly with vent window installed - STC Right front door window assembly with vent window installed - STC Vent (storm) window - right - use with 997 - STC Vent (storm) window - right - use with 997.375 - STC These are frameless windows that eliminate the original metal frame around the windows and require drilling through the acrylic for mounting. s/n TC-1936 and up s/n TE-1070 and up	.250 .375 .250 .375 .250 .375 .375 .500	
SP-1K978	Installation kit for 978, 979, 980, 991, and 997 - Hardware, sealant and instructions - see page 4		
140 140.250 141 141.250	Center window - left - nonopenable Center window - left - nonopenable - STC Center window - right - nonopenable Center window - right - nonopenable - STC s/n TD-453 thru TD-533	.125 .250 .125 .250	33-410010-1 33-410010-2
254 254.250 255 255.250	Center or rear window - left - openable Center or rear window - left - openable - STC Center or rear window - right - openable Center or rear window - right - openable - STC (continued)	.125 .250 .125 .250	002-430053-9 002-430053-11 002-430053-10 002-430053-12

NEW	LP#	DESCRIPTION	THICKNESS	OEM PART NO.
BEECHCRAFT BARON 55 thru B55, C55 thru E55, 56TC & A56TC				
TRAVELAIR 95 thru E95 (Continued)				
256		Rear baggage window - left	.125	35-001029-19
257		Rear baggage window - right	.125	35-001029-20
		s/n TD-1 thru TD-452		
284		Rear window - left	.125	002-430000-117
284.250		Rear window - left - STC	.250	002-430000-129
285		Rear window - right	.125	002-430000-118
285.250		Rear window - right - STC	.250	002-430000-130
		s/n TC-1 and up		
		s/n TE-1 and up		
		s/n TG-2 thru TG-94		
		s/n TD-453 thru TD-721		
573		Landing light lens - left	.080	45-115136-2
572		Landing light lens - right	.080	45-115136-3
		s/n TC-1 thru TC-399		
		s/n TD-1 thru TD-721		
149		Landing light lens - left	.080	000-170028-1
150		Landing light lens - right	.080	000-170028-2
		s/n TC-400 and up		
		s/n TE-1 and up		
		s/n TG-2 thru TG-83		

BEECHCRAFT TRAVELAIR 95 thru E95 s/n TD-1 thru TD-721 - SEE BEECHCRAFT 55 - page 28

BEECHCRAFT DUCHESS 76 s/n ME-1 and up

273		Windshield	.150	169-420035-37
173		Left front window	.150	105-420015-15
267		Vent (storm) window	.312	169-420037-23
174		Door window - right front	.150	105-420015-16
120		Center window - left	.150	169-420000-117
132		Center window - right	.150	169-420000-118
113		Rear baggage door window - left	.150	169-430015-29
126		Rear window - right	.150	169-420000-128
274		Landing light lens	.080	169-110000-237

BEECHCRAFT SKIPPER 77 s/n WA-1 and up

001		Windshield	.125	108-430000-13
002		Door window - left or right	.080	108-430010-5
003		Rear window - left	.080	108-430000-15
004		Rear window - right	.080	108-430000-16
005		Landing light lens	.060	108-360014-11

BEECHCRAFT KING AIR 90, A90, B90 s/n LJ-1 thru LJ-501
C90 s/n LJ-502 thru LJ-1062
C90A s/n LJ-1063 and up
E90 s/n LW-1 and up
100, A100 s/n B-1 and up
B100 s/n BE-1 and up

SP-PRIKT		WINDOW INSPECTION PRISM KIT		
1100		Cockpit window - outer - left - standard #		50-420066-317
1101		Cockpit window - outer - right - standard #		50-420066-318
1102		Cockpit window - outer - left - oversize #		50-420066-353
1103		Cockpit window - outer - right - oversize #		50-420066-354
1116		Cockpit window - outer - left - oversize †		50-420066-437
1117		Cockpit window - outer - right - oversize †		50-420066-438
1104		Storm window - left* #		50-420083-25
1105		Storm window - right* #	* s/n LJ-1 thru LJ-969 s/n LW-1 thru LW-347 s/n B-1 thru B-247 s/n BE-1 thru BE-84	50-420083-26
		(continued)		

NEW	LP#	DESCRIPTION	THICKNESS	OEM PART NO.
-----	-----	-------------	-----------	--------------

BEECHCRAFT KING AIR 90, A90, B90, C90, C90A, E90, 100, A100, B100 (Continued)

1106	Storm window - left** #	** s/n LJ-970 and up s/n LW-348 and up s/n B-248 and up s/n BE-85 and up		50-420083-45
1107	Storm window - right** #			50-420083-46
1108	Cabin window - left or right (Quantity is based on model) #			50-420013-1053
1111	Polarized outer cabin window - fixed panel - use with 1108			251411-1
1112	Polarized inner cabin window - rotating panel - use with 1108			251411-3
1109	Baggage window - rear - left #			50-440014-837
1110	Baggage window - rear - right #			50-440014-838
	# Stretched acrylic windows – comply with AD #85-01-01 † Stretched acrylic multi-ply windows			

BEECHCRAFT SUPER KING AIR 200

s/n BB-2 thru BB-733, BB-735 thru BB-792
s/n BB-794 thru BB-828, BB-830 thru BB-853
s/n BB-871 thru BB-873, BB-892, BB-893, BB-912

200T s/n BT-1 thru BT-22

200C s/n BL-1 thru BL-36

200CT s/n BN-1

B200 s/n BB-734, BB-793, BB-829, BB-854 thru BB-870

s/n BB-874 thru BB-891, BB-894 thru BB-911

s/n BB-913 and up

B200T s/n BT-23 thru BT-27, BT-29 and up

B200C s/n BL-37 and up

B200CT s/n BN-2 and up

SUPER KING AIR 300 s/n FA-1 thru FA-125, FA-127, FA-128, FA-130 and up

300LW s/n FF-1 and up

B300 s/n FL-1 and up

B300C s/n FM-1 and up

SP-PRIKT	WINDOW INSPECTION PRISM KIT			
1114	Cockpit window - outer - left - standard †			101-420081-5
1115	Cockpit window - outer - right - standard †			101-420081-6
1116	Cockpit window - outer - left - oversize †			50-420066-437
1117	Cockpit window - outer - right - oversize †			50-420066-438
1118	Storm window - left †			101-420080-5
1119	Storm window - right †			101-420080-6
1120	Cabin window - left or right †			101-430183-5
1111	Polarized outer cabin window - fixed panel - use with 1120			251411-1
1112	Polarized inner cabin window - rotating panel - use with 1120			251411-3
1121	Aft compartment teardrop window - left** †			101-440042-3
1122	Aft compartment teardrop window - right** †			101-440042-4
1123	Cargo door window*** †			101-430194-3
1123	Aft compartment round window - left or right*** †			101-430194-3
	† Stretched acrylic multi-ply windows	** s/n BB-2 and up s/n BT-1 and up s/n BL-1 thru BL-36 s/n BN-1 *** s/n BL-37 and up s/n BN-2 and up		

BEECHCRAFT 1900 AIRLINER s/n UA-1 and up

1900C AIRLINER s/n UB-1 and up

s/n UC-1 and up

s/n UD-1 and up

SP-PRIKT	WINDOW INSPECTION PRISM KIT			
1100	Cockpit window - outer - left - standard*			50-420066-317
1101	Cockpit window - outer - right - standard*			50-420066-318
1102	Cockpit window - outer - left - oversize*			50-420066-353
1103	Cockpit window - outer - right - oversize*			50-420066-354

NEW

LP#	DESCRIPTION	THICKNESS	OEM PART NO.
-----	-------------	-----------	--------------

BEECHCRAFT 1900 AIRLINER, 1900C AIRLINER (Continued)

1116	Cockpit window - outer - left - oversize**		50-420066-437
1117	Cockpit window - outer - right - oversize**		50-420066-438
1106	Storm window - left*		50-420083-45
1107	Storm window - right*		50-420083-46
1124	Cabin window*		114-430040-3
1125	Cabin window**		114-430156-1
	* Stretched acrylic windows - comply with AD #85-01-01		
	** Stretched acrylic multi-ply windows - comply with AD #85-01-01		