

EngineMake	Engine Engine - Model (Degree°, HP)	SINGLE IC / RB KIT	DUAL IC	Autolite Spark Plug 5/8" - 24 THREAD	Autolite Spark Plug 3/4" - 20 THREAD
Textron-Lycoming	AEIO-320-D1B (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	AEIO-320-D1B (25°,160HP)	K4518		-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-320-D1B (25°,160HP)	K4542	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-320-D2B (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	AEIO-320-D2B (25°,160HP)	K4518		-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-320-D2B (25°,160HP)	K4542	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-320-E1A (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	AEIO-320-E1A (25°,150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-320-E1B (25°,150HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	AEIO-320-E1B (25°,150HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-320-E1B (25°,150HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-320-E2A (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	AEIO-320-E2A (25°,150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-320-E2B (25°,150HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	AEIO-320-E2B (25°,150HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-320-E2B (25°,150HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-360-A1A (20°,200HP)	K4536		-37, -37BY, -38, -38S	
Textron-Lycoming	AEIO-360-A1A (25°,200HP)	K4536		-37, -37BY, -38, -38S	
Textron-Lycoming	AEIO-360-A1B (20°,200HP)		K4548		-37, -38, -38S
Textron-Lycoming	AEIO-360-A1B6 (20°,200HP)	K4549	K4548		-37, -38, -38S
Textron-Lycoming	AEIO-360-A1D (20°,200HP)	K4530	K4532	-37, -37BY, -38, -38S	
Textron-Lycoming	AEIO-360-A1D (25°,200HP)	K4517	K4528	-36S, -37, -37BY, -38, -38S	
Textron-Lycoming	AEIO-360-A1E (20°,200HP)	K4316			-37, -38, -38S
Textron-Lycoming	AEIO-360-A1E (20°,200HP)	K4530	K4532	-37, -37BY, -38, -38S	
Textron-Lycoming	AEIO-360-A1E (25°,200HP)	K4317	K4326		-37, -38, -38S
Textron-Lycoming	AEIO-360-A1E (25°,200HP)	K4517	K4528	-36S, -37, -37BY, -38, -38S	
Textron-Lycoming	AEIO-360-A2B (20°,200HP)	K4315	K4325		-37, -38, -38S
Textron-Lycoming	AEIO-360-A2B (20°,200HP)	K4516		-37, -37BY, -38, -38S	
Textron-Lycoming	AEIO-360-A2B (20°,200HP)		K4525	-37, -37BY, -38, -38S	
Textron-Lycoming	AEIO-360-B1B (25°,180HP)	K4536		-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-360-B1F (25°,180HP)		K4326		-38, -38S, -40
Textron-Lycoming	AEIO-360-B1F (25°,180HP)		K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-360-B1F6 (25°,180HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	AEIO-360-B1F6 (25°,180HP)	K4516		-36S, -37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-360-B1F6 (25°,180HP)		K4525	-36S, -37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-360-B1G6 (25°,180HP)		K4325		-38, -38S, -40
Textron-Lycoming	AEIO-360-B1G6 (25°,180HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-360-B2F (25°,180HP)		K4326		-38, -38S, -40
Textron-Lycoming	AEIO-360-B2F (25°,180HP)		K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-360-B2F6 (25°,180HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	AEIO-360-B2F6 (25°,180HP)	K4516		-36S, -37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-360-B2F6 (25°,180HP)		K4525	-36S, -37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-360-B4A (25°,180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	AEIO-360-B4A (25°,180HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-360-H1A (25°,180HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	AEIO-360-H1A (25°,180HP)	K4516		-36S, -37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-360-H1A (25°,180HP)		K4525	-36S, -37BY, -38, -38S, -40	
Textron-Lycoming	AEIO-540-D4A5 (25°,260HP)	K6536		-38, -38S, -40	
Textron-Lycoming	AEIO-540-D4B5 (25°,260HP)	K6518		-36S, -38, -38S, -40	
Textron-Lycoming	AEIO-540-D4B5 (25°,260HP)	K6519		-36S, -38, -38S, -40	
Textron-Lycoming	AEIO-540-L1B5 (20°,300HP)	K6518		-38, -38S, -40	

EngineMake	Engine Engine - Model (Degree°, HP)	SINGLE IC / RB KIT	DUAL IC	Autolite Spark Plug 5/8" - 24 THREAD	Autolite Spark Plug 3/4" - 20 THREAD
Textron-Lycoming	AIO-320-A1B (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	AIO-320-A1B (25°,160HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	AIO-320-A2B (25°,160HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	AIO-320-A2B (25°,160HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	AIO-320-A2B (25°,160HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	AIO-320-B1A (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	AIO-320-B1B (25°,160HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	AIO-320-C1B (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	AIO-320-C1B (25°,160HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	AIO-360-A1A (20°,200HP)		K4548		-38, -38S, -40
Textron-Lycoming	AIO-360-A1B (20°,200HP)	K4549	K4548		-38, -38S, -40
Textron-Lycoming	AIO-360-A2B (20°,200HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	AIO-360-A2B (20°,200HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	AIO-360-A2B (20°,200HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	AIO-360-B1B (20°,200HP)	K4549	K4548		-38, -38S, -40
Textron-Lycoming	HIO-360-D1A (20°,190HP)		K4545	-38, -38S	
Textron-Lycoming	IO-320-B1A (25°,160HP)		K4326		-38, -38S, -40
Textron-Lycoming	IO-320-B1A (25°,160HP)		K4575	-37BY, -38, -38S, -40	
Textron-Lycoming	IO-320-B1B (25°,160HP)	K4315	K4325		
Textron-Lycoming	IO-320-B1B (25°,160HP)	K4516			
Textron-Lycoming	IO-320-B1B (25°,160HP)		K4525		
Textron-Lycoming	IO-320-B1C (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	IO-320-B1C (25°,160HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	IO-320-B1D (25°,160HP)	K4539		-37BY, -38, -38S, -40	
Textron-Lycoming	IO-320-B2A (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	IO-320-B2A (25°,160HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	IO-320-C1A - 1/2" (25°,160HP)		K4326		-38S, -40
Textron-Lycoming	IO-320-C1A - 1/2" (25°,160HP)	K4540	K4575	-38S, -40	
Textron-Lycoming	IO-320-C1A - 13/16" (25°,160HP)		K4326		-37
Textron-Lycoming	IO-320-C1A - 13/16" (25°,160HP)	K4540	K4575		
Textron-Lycoming	IO-320-D1A (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	IO-320-D1A (25°,160HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	IO-320-D1B (25°,160HP)	K4317	K4326		
Textron-Lycoming	IO-320-D1B (25°,160HP)	K4518	K4576		
Textron-Lycoming	IO-320-E1A (25°,150HP)	K4317	K4326		
Textron-Lycoming	IO-320-E1A (25°,150HP)	K4517	K4528		
Textron-Lycoming	IO-320-E1B (25°,150HP)	K4315	K4325		
Textron-Lycoming	IO-320-E1B (25°,150HP)	K4516			
Textron-Lycoming	IO-320-E1B (25°,150HP)		K4525		
Textron-Lycoming	IO-320-E2A (25°,150HP)	K4317	K4326		
Textron-Lycoming	IO-320-E2A (25°,150HP)	K4517	K4528		
Textron-Lycoming	IO-320-E2B (25°,150HP)	K4315	K4325		
Textron-Lycoming	IO-320-E2B (25°,150HP)	K4516			
Textron-Lycoming	IO-320-E2B (25°,150HP)		K4525		
Textron-Lycoming	IO-320-F1A (25°,160HP)		K4326		-37, -38S
Textron-Lycoming	IO-320-F1A (25°,160HP)		K4575	-36S, -37, -38S	
Textron-Lycoming	IO-360-A1A (25°,200HP)	K4536			
Textron-Lycoming	IO-360-A1B (20°,200HP)	K4316			
Textron-Lycoming	IO-360-A1B (20°,200HP)	K4530	K4532		
Textron-Lycoming	IO-360-A1B (25°,200HP)	K4317	K4326		-38, -38S
Textron-Lycoming	IO-360-A1B (25°,200HP)	K4517	K4528	-37BY, -38, -38S	
Textron-Lycoming	IO-360-A1B (25°,200HP)	K4567	K4577	-37BY, -38, -38S	
Textron-Lycoming	IO-360-A1B6 (20°,200HP)	K4316			
Textron-Lycoming	IO-360-A1B6 (25°,200HP)	K4317	K4326		-38, -38S
Textron-Lycoming	IO-360-A1B6 (25°,200HP)	K4567	K4577	-36S, -37BY, -38, -38S	
Textron-Lycoming	IO-360-A1C (20°,200HP)	K4535		-37BY, -38, -38S	
Textron-Lycoming	IO-360-A1C (20°,200HP)	K4535			
Textron-Lycoming	IO-360-A1D (20°,200HP)	K4316			
Textron-Lycoming	IO-360-A1D (20°,200HP)	K4530	K4532		
Textron-Lycoming	IO-360-A1D6 (20°,200HP)	K4316			-38, -38S

EngineMake	Engine Engine - Model (Degree°, HP)	SINGLE IC / RB KIT	DUAL IC	Autolite Spark Plug 5/8" - 24 THREAD	Autolite Spark Plug 3/4" - 20 THREAD
Textron-Lycoming	IO-360-A2B (25°,200HP)	K4567	K4577	-37BY, -38, -38S	
Textron-Lycoming	IO-360-A2C (20°,200HP)	K4535		-37BY, -38, -38S	
Textron-Lycoming	IO-360-A2C (20°,200HP)	K4535			
Textron-Lycoming	IO-360-B1B (25°,180HP)	K4536			
Textron-Lycoming	IO-360-B1E (25°,180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	IO-360-B1E (25°,180HP)	K4567	K4577	-37BY, -38, -38S, -40	
Textron-Lycoming	IO-360-B1F (25°,180HP)		K4326		
Textron-Lycoming	IO-360-B1F (25°,180HP)		K4576		
Textron-Lycoming	IO-360-B1F6 (25°,180HP)	K4315	K4325		
Textron-Lycoming	IO-360-B1F6 (25°,180HP)	K4516			
Textron-Lycoming	IO-360-B1F6 (25°,180HP)		K4525		
Textron-Lycoming	IO-360-B2E-nd (25°,180HP)		K4326		-38, -38S, -40
Textron-Lycoming	IO-360-B2E-nd (25°,180HP)		K4577	-37BY, -38, -38S, -40	
Textron-Lycoming	IO-360-B2E-wd (25°,180HP)		K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	IO-360-B2F (25°,180HP)		K4326		
Textron-Lycoming	IO-360-B2F (25°,180HP)		K4576		
Textron-Lycoming	IO-360-B2F6 (25°,180HP)		K4326		
Textron-Lycoming	IO-360-B2F6 (25°,180HP)		K4576		
Textron-Lycoming	IO-360-B4A (25°,180HP)	K4317	K4326		
Textron-Lycoming	IO-360-B4A (25°,180HP)	K4517	K4528		
Textron-Lycoming	IO-360-B4A (25°,180HP)	K4567	K4577		
Textron-Lycoming	IO-360-C1B (20°,200HP)	K4535		-37BY, -38, -38S	
Textron-Lycoming	IO-360-C1B (20°,200HP)	K4535			
Textron-Lycoming	IO-360-C1C (20°,200HP)	K4566	K4547	-37BY, -38, -38S	
Textron-Lycoming	IO-360-C1C6 (20°,200HP)	K4316			-38, -38S
Textron-Lycoming	IO-360-C1C6 (20°,200HP)	K4566	K4547	-37BY, -38, -38S	
Textron-Lycoming	IO-360-C1C6 (25°,200HP)	K4317	K4326		-38, -38S
Textron-Lycoming	IO-360-C1C6 (25°,200HP)	K4568		-37BY, -38, -38S	
Textron-Lycoming	IO-360-C1D6 (20°,200HP)	K4316			-38, -38S
Textron-Lycoming	IO-360-C1D6 (25°,200HP)	K4317	K4326		-38, -38S
Textron-Lycoming	IO-360-C1E6 (20°,200HP)	K4316			-38, -38S
Textron-Lycoming	IO-360-C1E6 (20°,200HP)	K4566	K4547	-37BY, -38, -38S	
Textron-Lycoming	IO-360-C1E6 (25°,200HP)	K4317	K4326		-38, -38S
Textron-Lycoming	IO-360-C1E6 (25°,200HP)	K4568		-37BY, -38, -38S	
Textron-Lycoming	IO-360-C1F (20°,200HP)	K4316			-38, -38S
Textron-Lycoming	IO-360-C1F (25°,200HP)	K4317	K4326		-38, -38S
Textron-Lycoming	IO-360-D1A (20°,200HP)		K4545	-37BY, -38, -38S	
Textron-Lycoming	IO-360-F1A (25°,180HP)	K4317	K4326		-37, -38S
Textron-Lycoming	IO-360-F1A (25°,180HP)	K4567	K4577	-36S, -37, -38S, -40	
Textron-Lycoming	IO-360-K2A (20°,200HP)	K4316			-38, -38S, -40
Textron-Lycoming	IO-360-K2A (20°,200HP)	K4530	K4532	-38, -38S, -40	
Textron-Lycoming	IO-540-AA1A5 (20°,270HP)	K6536		-37	
Textron-Lycoming	IO-540-C1B5 (25°,250HP)	K6535		-38, -38S, -40	
Textron-Lycoming	IO-540-C1B5 (25°,250HP)	K6536		-38, -38S, -40	
Textron-Lycoming	IO-540-C1C5 (25°,250HP)	K6535		-38, -38S, -40	
Textron-Lycoming	IO-540-C2C (25°,250HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	IO-540-C2C (25°,250HP)	K6565	K6526	-38, -38S, -40	
Textron-Lycoming	IO-540-C4B5 (25°,250HP)	K6535		-38, -38S, -40	
Textron-Lycoming	IO-540-C4B5 (25°,250HP)	K6536		-38, -38S, -40	
Textron-Lycoming	IO-540-C4C5 (25°,250HP)	K6536		-38, -38S, -40	
Textron-Lycoming	IO-540-D4A5 (25°,260HP)	K6536			
Textron-Lycoming	IO-540-D4B5 (25°,260HP)	K6316			
Textron-Lycoming	IO-540-D4B5 (25°,260HP)	K6519			
Textron-Lycoming	IO-540-E1A5 (20°,290HP)	K6536		-36S, -38S	
Textron-Lycoming	IO-540-G1C5 (20°,290HP)	K6316			-32S, -36S, -38, -38S, -40
Textron-Lycoming	IO-540-G1C5 (20°,290HP)	K6519		-38, -38S, -40	
Textron-Lycoming	IO-540-G1E5 (20°,290HP)	K6519		-38, -38S, -40	

EngineMake	Engine Engine - Model (Degree°, HP)	SINGLE IC / RB KIT	DUAL IC	Autolite Spark Plug 5/8" - 24 THREAD	Autolite Spark Plug 3/4" - 20 THREAD
IO-540 Continued					
Textron-Lycoming	IO-540-K1A5 (20°,300HP)	K6316			-32S, -36S, -38, -38S, -40
Textron-Lycoming	IO-540-K1A5 (20°,300HP)	K6518		-36S, -38, -38S, -40	
Textron-Lycoming	IO-540-K1A5 (20°,300HP)	K6519		-36S, -38, -38S, -40	
Textron-Lycoming	IO-540-K1B5 (20°,300HP)	K6316			-32, -32S, -36S, -37, -38S
Textron-Lycoming	IO-540-K1B5 (20°,300HP)	K6519		-36S, -38S	
Textron-Lycoming	IO-540-K1C5 (20°,300HP)	K6519		-36S, -38, -38S, -40	
Textron-Lycoming	IO-540-K1G5 (20°,300HP)	K6518		-36S, -38, -38S, -40	
Textron-Lycoming	IO-540-K1H5 (20°,300HP)	K6518		-36S, -38, -38S, -40	
Textron-Lycoming	IO-540-K1K5 (20°,300HP)	K6518		-36S, -38, -38S, -40	
Textron-Lycoming	IO-540-L1A5 (20°,300HP)	K6519		-38, -38S, -40	
Textron-Lycoming	IO-540-L1C5 (20°,300HP)	K6518		-38, -38S, -40	
Textron-Lycoming	IO-540-N1A5 (25°,260HP)	K6535		-37, -38S	
Textron-Lycoming	IO-540-P1A5 (20°,290HP)	K6535		-36S, -37, -38S	
Textron-Lycoming	IO-540-R1A5 (25°,260HP)	K6535		-36S, -37, -38S	
Textron-Lycoming	LIO-320-B1A (25°,160HP)		K4526	-37BY, -38, -38S, -40	
Textron-Lycoming	LIO-320-C1A (25°,160HP)		K4526	-37, -38S	
Textron-Lycoming	O-235-C1 (25°,115HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-235-C1 (25°,115HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-C1B (25°,115HP)	K4536		-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-C1C (25°,115HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-235-C1C (25°,115HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-C1C (25°,115HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-C2A (25°,115HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-235-C2A (25°,115HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-C2B (25°,115HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-235-C2B (25°,115HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-C2C (25°,115HP)	K4316	K4325		-38, -38S, -40
Textron-Lycoming	O-235-C2C (25°,115HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-C2C (25°,115HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-E1 (25°,115HP)	K4316	K4325		-38, -38S, -40
Textron-Lycoming	O-235-E1 (25°,115HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-E1 (25°,115HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-E2A (25°,115HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-235-E2A (25°,115HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-E2B (25°,115HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-235-E2B (25°,115HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-E2B (25°,115HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-F1 (25°,125HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-235-F1 (25°,125HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-F1 (25°,125HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-F1B (25°,125HP)	K4536		-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-F2A (25°,125HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-235-F2A (25°,125HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-F2B (25°,125HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-235-F2B (25°,125HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-G1 (25°,125HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-235-G1 (25°,125HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-G2A (25°,125HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-235-G2A (25°,125HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-G2B (25°,125HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-235-G2B (25°,125HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-G2B (25°,125HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-H2C (25°,115HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-235-H2C (25°,115HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-H2C (25°,115HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-J2A (25°,125HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-235-J2A (25°,125HP)	K4517	K4528	-37BY, -38, -38S, -40	

EngineMake	Engine Engine - Model (Degree°, HP)	SINGLE IC / RB KIT	DUAL IC	Autolite Spark Plug 5/8" - 24 THREAD	Autolite Spark Plug 3/4" - 20 THREAD
0-235 Continued					
Textron-Lycoming	O-235-J2B (25°,125HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-235-J2B (25°,125HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-J2B (25°,125HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-K2A (20°,118HP)	K4316			-38, -38S, -40
Textron-Lycoming	O-235-K2A (20°,118HP)	K4530	K4532	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-K2B (20°,118HP)	K4316			-38, -38S, -40
Textron-Lycoming	O-235-K2C (20°,118HP)	K4316			-38, -38S, -40
Textron-Lycoming	O-235-K2C (20°,118HP)	K4565	K4534	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-L2A (20°,118HP)	K4316			-38, -38S, -40
Textron-Lycoming	O-235-L2A (20°,118HP)	K4530	K4532	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-L2C (20°,118HP)	K4316			-38, -38S, -40
Textron-Lycoming	O-235-L2C (20°,118HP)	K4537	K4529	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-L2C (20°,118HP)	K4565		-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-M1 (20°,118HP)	K4316			-38, -38S, -40
Textron-Lycoming	O-235-M1 (20°,118HP)	K4530	K4532	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-M2C (20°,118HP)	K4316			-38, -38S, -40
Textron-Lycoming	O-235-M2C (20°,118HP)	K4565	K4534	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-N2A (20°,116HP)	K4316			-38, -38S, -40
Textron-Lycoming	O-235-N2A (20°,116HP)	K4530	K4532	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-N2C (20°,116HP)	K4315			-38, -38S, -40
Textron-Lycoming	O-235-N2C (20°,116HP)	K4316	K4325		-38, -38S, -40
Textron-Lycoming	O-235-N2C (20°,116HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-N2C (20°,116HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-N2C (20°,116HP)	K4565	K4529	-37BY, -38, -38S, -40	
Textron-Lycoming	O-235-P1 (20°,116HP)	K4316			-38, -38S, -40
Textron-Lycoming	O-235-P1 (20°,116HP)	K4530	K4532	-37BY, -38, -38S, -40	
Textron-Lycoming	O-290-D (20°,125HP)	K4317	K4326		-38S, -40
Textron-Lycoming	O-290-D (20°,125HP)	K4517	K4528	-38S, -40	
Textron-Lycoming	O-290-D2 (18°,135HP)	K4530	K4532	-38S, -40	
Textron-Lycoming	O-320-A1A (25°,150HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-A1A (25°,150HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-A1A (25°,150HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-A1B (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-A1B (25°,150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-A2A (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-A2A (25°,150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-A2B (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-A2B (25°,150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-A2C (25°,150HP)	K4536		-37BY, -38, -40	
Textron-Lycoming	O-320-A2D (25°,150HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-A2D (25°,150HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-A2D (25°,150HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-A3A (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-A3A (25°,150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-A3B (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-A3B (25°,150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-A3C (25°,150HP)	K4536		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-B1A (25°,160HP)	K4317			
Textron-Lycoming	O-320-B1A (25°,160HP)	K4517			
Textron-Lycoming	O-320-B1B (25°,160HP)	K4317	K4326		
Textron-Lycoming	O-320-B1B (25°,160HP)	K4517	K4528		
Textron-Lycoming	O-320-B2A (25°,160HP)	K4317	K4326		
Textron-Lycoming	O-320-B2A (25°,160HP)	K4517	K4528		
Textron-Lycoming	O-320-B2B (25°,160HP)	K4317	K4326		-38S
Textron-Lycoming	O-320-B2B (25°,160HP)	K4517	K4528	-38S	
Textron-Lycoming	O-320-B2D (25°,160HP)	K4536		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-B3A (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-B3A (25°,160HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-B3B (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-B3B (25°,160HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-B3C (25°,160HP)	K4536		-37BY, -38, -38S, -40	

EngineMake	Engine Engine - Model (Degree°, HP)	SINGLE IC / RB KIT	DUAL IC	Autolite Spark Plug 5/8" - 24 THREAD	Autolite Spark Plug 3/4" - 20 THREAD
0-320 Continued					
Textron-Lycoming	O-320-C1A (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-C1B (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-C1B (25°,150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-C2A (25°,150HP)	K4317			-38, -38S, -40
Textron-Lycoming	O-320-C2A (25°,150HP)	K4517		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-C2B (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-C2B (25°,150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-C2C (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-C2C (25°,150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-C3A (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-C3B (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-C3B (25°,150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-C3C (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-C3C (25°,150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D1A (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-D1A (25°,150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D1A (25°,160HP)	K4317	K4326		
Textron-Lycoming	O-320-D1A (25°,160HP)	K4517	K4528		
Textron-Lycoming	O-320-D1C (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-D1C (25°,150HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D1C (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-D1C (25°,160HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D1D (25°,150HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-D1D (25°,150HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D1D (25°,150HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D1D (25°,160HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-D1D (25°,160HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D1D (25°,160HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D1F (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-D1F (25°,150HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D1F (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-D1F (25°,160HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2A (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-D2A (25°,150HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2A (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-D2A (25°,160HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2B (25°,150HP)	K4536		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2B (25°,150HP)	K4536			
Textron-Lycoming	O-320-D2C (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-D2C (25°,150HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2C (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-D2C (25°,160HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2F (25°,150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-D2F (25°,150HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2F (25°,160HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-D2F (25°,160HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2G (25°,150HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-D2G (25°,150HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2G (25°,150HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2G (25°,160HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-D2G (25°,160HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2G (25°,160HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2H (25°,150HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-D2H (25°,150HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2H (25°,150HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2H (25°,160HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-D2H (25°,160HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2H (25°,160HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2J (25°,150HP)		K4527	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D2J (25°,160HP)		K4325		-38, -38S, -40
Textron-Lycoming	O-320-D2J (25°,160HP)		K4527	-37BY, -38, -38S, -40	

EngineMake	Engine Engine - Model (Degree°, HP)	SINGLE IC / RB KIT	DUAL IC	Autolite Spark Plug 5/8" - 24 THREAD	Autolite Spark Plug 3/4" - 20 THREAD
0-320 Continued					
Textron-Lycoming	O-320-D3G (25°, 150HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-D3G (25°, 150HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D3G (25°, 150HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D3G (25°, 160HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-D3G (25°, 160HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-D3G (25°, 160HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E1A (25°, 150HP)	K4317	K4326		
Textron-Lycoming	O-320-E1A (25°, 150HP)	K4517	K4528		
Textron-Lycoming	O-320-E1C (25°, 150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-E1C (25°, 150HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E1F (25°, 150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-E1F (25°, 150HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E1J (25°, 150HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-E1J (25°, 150HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E1J (25°, 150HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E2A (25°, 140HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-E2A (25°, 140HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E2A (25°, 150HP)	K4317	K4326		
Textron-Lycoming	O-320-E2A (25°, 150HP)	K4517	K4528		
Textron-Lycoming	O-320-E2B (25°, 150HP)	K4536			
Textron-Lycoming	O-320-E2C (25°, 140HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-E2C (25°, 150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-E2D (25°, 150HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-E2D (25°, 150HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E2D (25°, 150HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E2F (25°, 150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-E2F (25°, 150HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E2G (25°, 150HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-E2G (25°, 150HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E2G (25°, 150HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E2H (25°, 150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-E2H (25°, 150HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E3D (25°, 150HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-320-E3D (25°, 150HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E3D (25°, 150HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-320-E3H (25°, 150HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-320-E3H (25°, 150HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A1A-nd (25°, 180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-A1A-nd (25°, 180HP)	K4567	K4577	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A1A-wd (25°, 180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-A1A-wd (25°, 180HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A1D (25°, 180HP)	K4536		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A1D (25°, 180HP)	K4541		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A1F (25°, 180HP)	K4542		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A1F6 (25°, 180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-A1F6 (25°, 180HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A1G (25°, 180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-A1G (25°, 180HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A1G6 (25°, 180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-A1G6 (25°, 180HP)	K4518	K4576	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A1H (25°, 180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-A1H (25°, 180HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A1H6 (25°, 180HP)	K4315			-38, -40
Textron-Lycoming	O-360-A1H6 (25°, 180HP)	K4516		-37BY, -38, -40	
Textron-Lycoming	O-360-A2A (25°, 180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-A2A (25°, 180HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A2D (25°, 180HP)	K4536		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A2D (25°, 180HP)	K4543		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A2F (25°, 180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-A2F (25°, 180HP)	K4518	K4576	-37BY, -38, -38S, -40	

EngineMake	Engine Engine - Model (Degree°, HP)	SINGLE IC / RB KIT	DUAL IC	Autolite Spark Plug 5/8" - 24 THREAD	Autolite Spark Plug 3/4" - 20 THREAD
O-360 Continued					
Textron-Lycoming	O-360-A2G (25°,180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-A2G (25°,180HP)	K4567	K4577	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A2H (25°,180HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-360-A2H (25°,180HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A2H (25°,180HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A3A (25°,180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-A3A (25°,180HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A4A (25°,180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-A4A (25°,180HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A4G (25°,180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-A4G (25°,180HP)	K4567	K4577	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A4J (25°,180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-A4J (25°,180HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A4K (25°,180HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-360-A4K (25°,180HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A4K (25°,180HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A4M (25°,180HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-360-A4M (25°,180HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A4M (25°,180HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-A4N (25°,180HP)		K4325		-38, -38S, -40
Textron-Lycoming	O-360-A4N (25°,180HP)		K4527	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-B1A (25°,168HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-360-B1A (25°,168HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-B1A (25°,168HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-B2A (25°,168HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-B2A (25°,168HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-C1A (25°,180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-C1A (25°,180HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-C1C (25°,180HP)	K4536		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-C1E (25°,180HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-360-C1E (25°,180HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-C1E (25°,180HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-C1F (25°,180HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-360-C1F (25°,180HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-C1F (25°,180HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-C1G (25°,180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-C1G (25°,180HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-C2A (25°,180HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-C2A (25°,180HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-C2B (25°,180HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-360-C2B (25°,180HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-C2B (25°,180HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-C2C (25°,180HP)	K4536		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-C2E (25°,180HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-360-C2E (25°,180HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-C2E (25°,180HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-D1A (25°,168HP)	K4315	K4325		-38, -38S, -40
Textron-Lycoming	O-360-D1A (25°,168HP)	K4516		-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-D1A (25°,168HP)		K4525	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-D2A (25°,168HP)	K4317	K4326		-38, -38S, -40
Textron-Lycoming	O-360-D2A (25°,168HP)	K4517	K4528	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-F1A6 (25°,180HP)		K4325		-38, -38S, -40
Textron-Lycoming	O-360-F1A6 (25°,180HP)		K4527	-37BY, -38, -38S, -40	
Textron-Lycoming	O-360-G1A6 (25°,180HP)		K4325		-38, -38S, -40
Textron-Lycoming	O-360-G1A6 (25°,180HP)		K4527	-38, -38S, -40	

EngineMake	Engine Engine - Model (Degree°, HP)	SINGLE IC / RB KIT	DUAL IC	Autolite Spark Plug 5/8" - 24 THREAD	Autolite Spark Plug 3/4" - 20 THREAD
Textron-Lycoming	O-540-A1A (25°,250HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-A1A (25°,250HP)	K6565	K6526	-38, -38S, -40	
Textron-Lycoming	O-540-A1A5 (25°,250HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-A1A5 (25°,250HP)	K6565	K6526	-38, -38S, -40	
Textron-Lycoming	O-540-A1B5 (25°,250HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-A1B5 (25°,250HP)	K6535	K6526	-38, -38S, -40	
Textron-Lycoming	O-540-A1B5 (25°,250HP)	K6536		-38, -38S, -40	
Textron-Lycoming	O-540-A1B5 (25°,250HP)	K6565		-38, -38S, -40	
Textron-Lycoming	O-540-A1C5 (25°,250HP)		K6325		-38, -38S, -40
Textron-Lycoming	O-540-A1C5 (25°,250HP)		K6526	-38, -38S, -40	
Textron-Lycoming	O-540-A1D (25°,250HP)	K6536		-38, -38S, -40	
Textron-Lycoming	O-540-A1D5 (25°,250HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-A1D5 (25°,250HP)		K6526	-38, -38S, -40	
Textron-Lycoming	O-540-A1D5 (25°,250HP)	K6535		-38, -38S, -40	
Textron-Lycoming	O-540-A1D5 (25°,250HP)	K6536		-38, -38S, -40	
Textron-Lycoming	O-540-A1D5 (25°,250HP)	K6565		-38, -38S, -40	
Textron-Lycoming	O-540-A2B (25°,250HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-A2B (25°,250HP)	K6565	K6526	-38, -38S, -40	
Textron-Lycoming	O-540-A3D5 (25°,250HP)	K6535		-38, -38S, -40	
Textron-Lycoming	O-540-A4A5 (25°,250HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-A4A5 (25°,250HP)	K6565	K6526	-38, -38S, -40	
Textron-Lycoming	O-540-A4B5 (25°,250HP)		K6325		-38, -38S, -40
Textron-Lycoming	O-540-A4B5 (25°,250HP)		K6526	-38, -38S, -40	
Textron-Lycoming	O-540-A4D5 (25°,250HP)	K6536		-38, -38S, -40	
Textron-Lycoming	O-540-B1A5 (25°,235HP)	K6536		-38, -38S, -40	
Textron-Lycoming	O-540-B2A5 (25°,235HP)	K6536		-38, -38S, -40	
Textron-Lycoming	O-540-B2B5 (25°,235HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-B2B5 (25°,235HP)	K6565	K6526	-38, -38S, -40	
Textron-Lycoming	O-540-B2B5-wd (25°,235HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-B2B5-wd (25°,235HP)	K6566		-38, -38S, -40	
Textron-Lycoming	O-540-B2C5 (25°,235HP)	K6316			-38, -38S, -40
Textron-Lycoming	O-540-B2C5 (25°,235HP)	K6516		-38, -38S, -40	
Textron-Lycoming	O-540-B2C5 (25°,235HP)	K6519		-38, -38S, -40	
Textron-Lycoming	O-540-B2C5-wd (25°,235HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-B4B5 (25°,235HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-B4B5 (25°,235HP)	K6566		-38, -38S, -40	
Textron-Lycoming	O-540-B4B5-wd (25°,235HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-B4B5-wd (25°,235HP)	K6566		-38, -38S, -40	
Textron-Lycoming	O-540-D1A5 (25°,250HP)	K6535		-38S	
Textron-Lycoming	O-540-D1A5 (25°,250HP)	K6536		-38S	
Textron-Lycoming	O-540-E4A5 (25°,260HP)	K6535		-38, -38S, -40	
Textron-Lycoming	O-540-E4A5 (25°,260HP)	K6536		-38, -38S, -40	
Textron-Lycoming	O-540-E4B5 (25°,260HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-E4B5 (25°,260HP)	K6565	K6526	-38, -38S, -40	
Textron-Lycoming	O-540-E4B5-wd (25°,260HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-E4B5-wd (25°,260HP)	K6566		-38, -38S, -40	
Textron-Lycoming	O-540-E4C5 (25°,260HP)	K6316			-38, -38S, -40
Textron-Lycoming	O-540-E4C5 (25°,260HP)	K6519		-38, -38S, -40	
Textron-Lycoming	O-540-G1A5 (25°,260HP)	K6316			-38, -38S, -40
Textron-Lycoming	O-540-G1A5 (25°,260HP)	K6519		-38, -38S, -40	
Textron-Lycoming	O-540-G1A5-wd (25°,260HP)	K6316			-38, -38S, -40
Textron-Lycoming	O-540-G1A5-wd (25°,260HP)	K6518		-38, -38S, -40	
Textron-Lycoming	O-540-G2A5 (25°,260HP)	K6316			-38, -38S, -40
Textron-Lycoming	O-540-G2A5 (25°,260HP)	K6519		-38, -38S, -40	
Textron-Lycoming	O-540-G2A5-wd (25°,260HP)	K6316			-38, -38S, -40
Textron-Lycoming	O-540-G2A5-wd (25°,260HP)	K6519		-38, -38S, -40	
Textron-Lycoming	O-540-H2A5 (25°,260HP)	K6317	K6325		-38, -38S, -40
Textron-Lycoming	O-540-H2A5 (25°,260HP)	K6565	K6526	-38, -38S, -40	